

Lab 11: Postfix-Python

Due May 9, 2012

In this lab, we will create a new programming language for controlling our robots. The language will be similar to **Reverse Polish Notation** (RPN)¹. In reverse polish notation, rather than putting the mathematical operators between the operands (i.e. infix) we put them after the operands (i.e. postfix). For example, $3 + 2$ is represented by `3 2 +` and $(3 + 2) / 4$ is represented by `3 2 + 4 /`. Other than being a little strange, this notation makes writing computer programs to evaluate these expressions simpler and we don't need parentheses. The programming languages Forth, Postscript, and Joy all use postfix notation. Other languages, like Lisp, use prefix notation.

Below is an example of a small postfix-arithmetic interpreter (this particular program could benefit from better error handling). We are using the `pop()` method for lists which grabs and deletes the last element of the list. In fact, we are using the list as a specific data structure known as a **stack**. The stack is how we pass values to and from functions. When using a stack, we treat the list like a stack of plates or papers; we add and remove items from the end of the list. We are accessing the list in last-in-first-out order.

```
class Interpreter:
    def __init__(self):
        self.operators = {'display': self.display, '+': self.add, '-': self.sub}
        self.stack = []

    def display(self):
        v = self.stack.pop()
        print (v)

    def add(self):
        v2 = float(self.stack.pop())
        v1 = float(self.stack.pop())
        self.stack.append(v1 + v2)

    def sub(self):
        v2 = float(self.stack.pop())
        v1 = float(self.stack.pop())
        self.stack.append(v1 - v2)

    def interpret(self, expression):
        for token in expression.split():
            if token in self.operators:
                operator = self.operators[token]
                operator()
            else:
                self.stack.append(token)

i = Interpreter()
i.interpret('5 display')
i.interpret('3 2 + display')
i.interpret('3 2 + 4 - display')
```

¹http://en.wikipedia.org/wiki/Reverse_Polish_notation

A Postfix Robot Programming Language

Information flows through the postfix python programs using the stack. The commands read their parameters from the stack and push their output onto the stack. Your language should have the following functionality:

1. A display command for printing out values.
2. The ability to perform simple mathematical expressions (+, -, /, *, **).
3. Simple forward, backward, turnRight, turnLeft, beep commands.
4. Commands for reading the sensors (e.g. getLeftLight, getRightIR getBattery).
5. Commands for taking and showing pictures.
6. A read command that reads a list of commands from a file (it's name is specified as a parameter).
7. Lines starting with the # character should be treated as comments and ignored.
8. **EXTRA:** You might extend your language with pop, dup, swap commands that remove the top item on the stack, duplicate the top item on the stack, and swap the top two items on the stack, respectively.
9. **EXTRA:** The ability to store numbers in variables; for this a dictionary would be useful.

An Example Postfix-Python Program

```
# beep for 1 second at 440 Hz
1 440 beep

# beep both an A and an E for 0.5 seconds
0.5 440 2 * 650 beep2

# print out the current left light value
getLeftLight display

# take and show a picture
takePicture showPicture

# go forward for half a second and full power
1 0.5 forward

# create a variable named power with the value 0.5
0.5 power store

# go backward at power for 1 second
power 1 backward
```

Learning Objectives

- Read from Files
- Use Dictionaries
- Create a Simple Interpreter

Deliverables

Submit two files:

1. cmsc143_lab11_LASTNAME_FIRSTNAME.py – Your interpreter
2. cmsc143_lab11_LASTNAME_FIRSTNAME.yf – An example program using all your language's features.